

## Message Text

CONFIDENTIAL

PAGE 01 SANTO 02149 041952Z  
ACTION SY-05

INFO OCT-01 ARA-06 ISO-00 /012 W  
-----050615Z 001306 /12  
R 041914Z MAY 77  
FM AMEMBASSY SANTO DOMINGO  
TO AMEMBASSY PORT AU PRINCE  
INFO SECSTATE WASHDC 534

C O N F I D E N T I A L SANTO DOMINGO 2149

PORT AU PRINCE FOR BILL MEEKS, EX/O USAID, DEPT FOR A/SY/T  
FROM RSO

E.O. 11652: GDS  
TAGS: ASEC  
SUBJ: CLASS FIVE VAULT DOOR (MOSLER)

REF: A) MEEKS/BLYSTONE TELCON 5/4/77, B) CA-6769 DTD 12/22/69,  
C) SY D-LE ER 67-35 DATED 7/18/67

1. THE CLASS FIVE VAULT DOOR SHOULD BE CONSIDERED IN AN AREA  
WHERE A STORAGE VAULT IS REQUIRED AND WHERE THE AREA IS UNDER  
NEW CONSTRUCTION.

2. TOJ FOLLOWING SPECIFICATIONS ARE TO THE MOSLER CLASS FIVE  
VAULT DOOR:

WALL OPENING: 49" WIDE ZN83-1/4" HIGH

CLEAR OPENING: 4" WISE X 78" HIGH

NET WEIGHT: 1,340 LBS

PACKED WEIGHT: 1,800 LBS

CUBE: 42-1/2  
CONFIDENTIAL

CONFIDENTIAL

PAGE 02 SANTO 02149 041952Z

COST (1967 PRICE): \$1,715.00

3. TO ORDER, USE ONE OF THE FOLLOWING FEDERAL STOCK NUMBERS:

RIGHT SWING W/OPTICAL DEVICE: 7110-935-1885

LEFT SWING W/OPTICAL DEVICE: 7110-935-1882

NOTE: WHEN PURCHASING VAULT DOOR THE FINISHED THICKNESS OF THE VAULT WALLS MUST BE SPECIFIED. WALL FLANGES ARE AVAILABLE FOR WALLS FROM 6 TO 12 INCHES THICK IN INCREMENTS OF 1 INCH. FLANGES FOR PLUS OR MINUS 1/2 INCH VARIATIONS.

4. THE FOLLOWING ARE CONSIDERED TO BE MINIMUM SPECIFICATIONS FOR THE CONSTRUCTION OF VAULTS:

A. WALLS SHOULD BE EITHER 6 INCHES OF REINFORCED CONCRETE OR 8 INCHES OF CONCRETE-FILLED REINFORCED MASONRY BLOCK. CEILINGS AND FLOORS MAY BE 4 INCHES OF CONCRETE<sup>9</sup>( FOR CONCRETE AND MASONRY BLOCK REINFORCING RODS SHOULD BE 12" IN DIAMETER. SPACED A MAXIMUM DISTANCE OF 6" ON CENTER BOTH WAYS, AND THE CONCRETE MIX SHOULD BE THE STRONGEST AVAILABLE LOCALLY (NOT LESS THAN 2500 P.S.I.)#:

B. THERE SHOULD BE NO WINDOWS OR OTHER OPENINGS IN THE VAULT OTHER THAN THE VAULT DOOR. THE ONLY EXCEPTION WULD BE AIR CONDITIONING VENTS WHICH SHOULD BE PROPERLY BARRED WITH 5/8" STEEL RODS, FIVE INCHES ON CENTER.  
AXELROD

CONFIDENTIAL

NNN

## Message Attributes

**Automatic Decaptioning:** X  
**Capture Date:** 01-Jan-1994 12:00:00 am  
**Channel Indicators:** n/a  
**Current Classification:** UNCLASSIFIED  
**Concepts:** n/a  
**Control Number:** n/a  
**Copy:** SINGLE  
**Sent Date:** 04-May-1977 12:00:00 am  
**Decaption Date:** 01-Jan-1960 12:00:00 am  
**Decaption Note:**  
**Disposition Action:** RELEASED  
**Disposition Approved on Date:**  
**Disposition Case Number:** n/a  
**Disposition Comment:** 25 YEAR REVIEW  
**Disposition Date:** 22 May 2009  
**Disposition Event:**  
**Disposition History:** n/a  
**Disposition Reason:**  
**Disposition Remarks:**  
**Document Number:** 1977SANTO02149  
**Document Source:** CORE  
**Document Unique ID:** 00  
**Drafter:** n/a  
**Enclosure:** n/a  
**Executive Order:** GS  
**Errors:** N/A  
**Expiration:**  
**Film Number:** D770157-0796  
**Format:** TEL  
**From:** SANTO DOMINGO  
**Handling Restrictions:** n/a  
**Image Path:**  
**ISecure:** 1  
**Legacy Key:** link1977/newtext/t19770595/aaaaddyf.tel  
**Line Count:** 85  
**Litigation Code IDs:**  
**Litigation Codes:**  
**Litigation History:**  
**Locator:** TEXT ON-LINE, ON MICROFILM  
**Message ID:** 4d538c9a-c288-dd11-92da-001cc4696bcc  
**Office:** ACTION SY  
**Original Classification:** CONFIDENTIAL  
**Original Handling Restrictions:** n/a  
**Original Previous Classification:** n/a  
**Original Previous Handling Restrictions:** n/a  
**Page Count:** 2  
**Previous Channel Indicators:** n/a  
**Previous Classification:** CONFIDENTIAL  
**Previous Handling Restrictions:** n/a  
**Reference:** n/a  
**Retention:** 0  
**Review Action:** RELEASED, APPROVED  
**Review Content Flags:**  
**Review Date:** 18-Jan-2005 12:00:00 am  
**Review Event:**  
**Review Exemptions:** n/a  
**Review Media Identifier:**  
**Review Release Date:** n/a  
**Review Release Event:** n/a  
**Review Transfer Date:**  
**Review Withdrawn Fields:** n/a  
**SAS ID:** 2643532  
**Secure:** OPEN  
**Status:** NATIVE  
**Subject:** CLASS FIVE VAULT DOOR (MOSLER)  
**TAGS:** ASEC  
**To:** PORT AU PRINCE  
**Type:** TE  
**vdkgvwkey:** odb://SAS/SAS.dbo.SAS\_Docs/4d538c9a-c288-dd11-92da-001cc4696bcc  
**Review Markings:**  
Margaret P. Grafeld  
Declassified/Released  
US Department of State  
EO Systematic Review  
22 May 2009  
**Markings:** Margaret P. Grafeld Declassified/Released US Department of State EO Systematic Review 22 May 2009